

FLOOR CARE & MAINTENANCE

PREP, CLEAN AND
MAINTAIN ANY FLOOR





WE ARE THE TEAM BEHIND YOUR TEAM

Sunbelt Rentals is part of the FTSE 100 listed Ashted Group, a global leader in equipment rental and the largest provider in the UK & Ireland.

Our team of experts support customers across every market sector and together we're redefining the future of rental. We're the first and only equipment hire company to offer a complete 360 managed solution for any contract, no matter how large or complex, with cost and carbon savings built in from day one.

We will deliver, maintain, manage and monitor all the equipment you need, whenever and wherever you need it. Leaving you free to concentrate on your core business, knowing that your equipment is being looked after by trusted experts.

OUR PURPOSE

Equipping people to transform places, spaces and lives.

UNRIVALLED POSITION

With sustainability, innovation and business governance at the heart of our plan, we are committed to driving emissions down, helping you achieve your sustainability goals today and developing tomorrow's essential skills and jobs.



4,000+ EMPLOYEES



200 DEPOTS



1 GLOBAL TEAM

PREP, CLEAN & MAINTAIN

ANY FLOOR, ANY SIZE, ANYWHERE

NO HASSLE, NO RISK

Leave the how to us.



4

5

**SCAN ME
FOR MORE
INFORMATION**



LEVEL UP YOUR FLOOR CARE & MAINTENANCE

All of the equipment you need to prepare, clean, and maintain your floors and surfaces.

From floor stripping, scraping, grinding, polishing, sweeping, scrubbing, vacuuming, steam cleaning and pressure washing. We have everything you need to prepare, clean, and maintain the floors and surfaces in your facilities.



6

7

SCAN ME
FOR MORE
INFORMATION



ALWAYS THE RIGHT EQUIPMENT FOR THE JOB

The benefits of making sure floors are well-prepared, clean, and maintained speak for themselves. It not only creates a positive impression but also improves productivity and ensures compliance with health and safety regulations.

However, with so many options available choosing the best equipment for the job is less clear-cut. That's where our floor care and maintenance experts come in. Our team will work with you to ensure you always have the most efficient solution now, and in the future.

The flexibility of our rental agreements mean you can change the size and specification of your fleet in line with demand. It also makes it easy to upgrade your equipment when new technology is introduced – ensuring your business is always one step ahead.



PARTNERING WITH SUNBELT RENTALS



EASY & FLEXIBLE RENTAL AGREEMENTS

Our tailored rental agreements provide an alternative to traditional leasing or buying equipment, giving you increased flexibility with reduced financial risk. Grow your operations with confidence without the need for upfront capital investment. Plus, when you hire floor care and maintenance equipment from us there are no mobilisation or maintenance costs.



EXPERTISE & CAPABILITY

When you partner with us, you're working with a true rental specialist. We'll work with you to ensure you always have the right equipment. Our expert team takes care of everything leaving you free to concentrate on your core business. And with the UK's largest rental fleet, we can provide a complete end-to-end solution to help you manage your facility.



INDUSTRY-LEADING EQUIPMENT

Our fleet of new and innovative equipment has been hand-picked to provide maximum efficiency and reliability. From cleaning machines equipped with IRIS telematics, to autonomous scrubber-dryers and remote-controlled grinders and polishers. Our equipment is maintained to the highest standards. And if something does go wrong, we'll provide a replacement machine before your next shift.



WHITE GLOVE SERVICE

Our 360 managed service covers everything from site surveys and demonstrations to operator familiarisation and 24/7 support. With specialist advice on equipment selection you'll always have the most efficient and cost-effective solution for your application.



FLOOR STRIPPING & SCRAPING

Removing existing floor coatings and preparing surfaces requires specialist equipment and knowledge.

Especially when you're dealing with hardened adhesives and heavy-duty floor coatings. Whatever the task at hand, our expert team will help you find the most efficient solution.

Our market-leading fleet offers a solution for any and every application, from small but powerful walk-behind machines to heavy-duty ride-on units.

SCAN TO
VIEW THE
FULL RANGE



FLOOR STRIPPERS & SCRAPERS

Walk-Behind 550 Adjustable Handle Floor Scraper

Compact and adaptable floor scraper with an adjustable handle and swift front weight removal. Accelerated RPM delivers improved efficiency while low decibel ratings provide a more comfortable operator experience.

Model: NFE 550	Dimensions (L x W x H): 83cm x 45cm x 108cm
Power Source: Electric	Weight: 55.8kg
Speed: Manual	Power Requirement: 110v
RPM: 1,425	Noise Levels: 73dB(A)
Vibration: 11.6m/s ²	



Walk-Behind 6280 Floor Scraper

Walk-behind scraper to remove a diverse range of soft goods such as glued-down floors, carpets, VCT, vinyl, linoleum, sports surfaces, and roofing material effectively.

Model: NFE 6280	Dimensions (L x W x H): 130cm x 45cm x 117cm
Power Source: Electric	Weight: 192.8kg
Speed: 3.0 – 13.7m/min	Power Requirement: 110v
RPM: 2,875	Noise Levels: 79dB(A)
Vibration: 6.3m/s ²	



Walk-Behind Rogue Floor Scraper

Compact all-electric scraper providing ride-on power in a walk-behind design. Enhanced manoeuvrability, adjustable oscillation, and simplified controls deliver a superior operator experience.

Model: NFE Rogue	Dimensions (L x W x H): 114cm x 56cm x 115cm
Power Source: Electric	Weight: 211.4kg
Speed: 0.9 – 45.7m/min	Power Requirement: 110v
RPM: 600 – 2,000	Noise Levels: 85.5dB(A)
Vibration: 12.84m/s ²	



Ride-On 5700 Floor Scraper

Powerful yet compact scraper with 12 AGM 180Ah batteries and hydraulic steering. The dual-lift front end enables the operator to make infinite blade adjustments without leaving their seat.

Model: NFE 5700	Dimensions (L x W x H) (without tooling attached): 160cm x 62cm x 127cm
Power Source: Battery	Weight: 1,091kg
Speed: Up to 36.6m/min	Charging Requirement: 110v
	Noise Levels: 94-97dB(A)



Ride-On 7700 Floor Scraper

Powered by 12 200AMP hour batteries this floor scraper exceeds industry-standards and removes difficult materials easily. Designed for almost any jobsite with hydraulic steering, quick change swivel head blade holder and non-marking tyres.

Model: NFE 7700	Dimensions (L x W x H): 160cm x 75cm x 127cm
Power Source: Electric	Weight: 1,251kg
Speed: Up to 61m/min	Power Requirement: 230v



Ride-On 8000 Floor Scraper

Rugged steel-framed demolition floor scraper capable of removing a wide range of soft goods. Powered by propane and with a durable design, it allows for around-the-clock operation to meet project deadlines in even the harshest environments.

Model: NFE 8000	Dimensions (L x W x H) (without tooling attached): 160cm x 76cm x 166cm
Power Source: LPG	Weight: 1,344kg*
Speed: Up to 61m/min	
RPM: 2,950	
*Maximum weight based on full LPG tank. Contact your local Flooring Solutions depot to discuss LPG tank size.	



FLOOR STRIPPING & SCRAPING TOOLING

Wood Floor Shanks

The longer taper on this shank creates the ideal tool for wood floors. Available for Riders, the 6280HD, and Rogue.

Part #	Dimensions (W x L x Thickness)	Rogue	Ride-On
7075-8	2" x 8" x .300"		X
7075-11	2" x 11" x .300"		X
7077-8	3.5" x 8" x .300"		X
7077-11	3.5" x 11" x .300"		X
7082-8	2.5" x 8"		
7082-8GV	2.5" x 8", Grooved	X	

Angle Shanks

Available with and without a carbide tip, these shanks are designed to remove ceramic, wood, and thick epoxy.

Part #	Dimensions (W x L x Thickness)	550	Rogue	Ride-On
7071-2	4" x 2" x .500"			X
7071-3	4" x 3" x .500"			X
7071-4	4" x 4" x .500"			X
Angle Shanks with Carbide Tip				
552	4" x 2" x .312"	X		
552GV	6" x 2" x .500", Grooved		X	
7079-2	6" x 2" x .500"			X
7079-4	6" x 4" x .500"			X
7079-6	6" x 6" x .500"			X
7281-1	6" x 1" x .500"		X	
7281-1GV	6" x 1" x .500", Grooved		X	
7281-12	4" x 2" x .312"		X	
7281-2	6" x 2" x .500"			X

A 551 shank holder is required to attach the 552 shank to the 550 walk-behind scraper.

Ultra HD Angle Shank w/ Removable Carbide Tip

For removing hard goods with your ride-on scraper, this shank features removable and sharpenable carbide tips. For maximum efficiency, the operator can exchange tips and sharpen them later.

Part #	Includes
403112	2" Ultra HD shanks, 3 carbide tips, set screws and tool
407394 PK3	3 carbide tips, set screws, and tool
402601	Sharpening holder; designed for efficiency, this will allow you to safely hold the carbide tip while it is sharpened

Flat Blades

Available in varying dimensions these flat blades are a must-have for VCT, VAT, wood, tile, epoxy, elastomeric coatings, scraping thin-set, and glued ceramic.

Part #	Dimensions (W x L x Thickness)	550	6280	Rogue	Ride-On
Premium High Tempered					
135	5" x 16" x .062"		X	X	
136	5" x 8" x .062"		X	X	
147	4" x 6" x .062"		X	X	
148	5" x 6" x .062"		X	X	
7050-200	3" x 6" x .062"	X	X	X	
7050-201	3" x 8" x .062"	X	X	X	
7050-202	3" x 10" x .062"	X	X	X	
7050-203	3" x 12" x .062"		X	X	
7050-204	3" x 14" x .062"		X	X	
7050-205	3" x 27" x .062"				X
Heavy-Duty Blades					
6240	4" x 6" x .094"		X	X	X
6241	4" x 8" x .094"		X	X	X
6242	4" x 12" x .094"		X	X	X
6243	4" x 15" x .094"		X	X	X
6244	4" x 24" x .094"				X
6245	4" x 10" x .094"		X	X	X
6246	4" x 27" x .094"				X
6281	3" x 8" x .094"		X	X	X
6282	3" x 14" x .094"		X	X	X
6283	3" x 27" x .094"				X
6284	3" x 12" x .094"		X	X	X
6285	3" x 6" x .094"		X	X	X
6286	3" x 10" x .094"		X	X	X
Extra Heavy-Duty Blades					
6270	1-1/2" x 3" x .250				X
6271	3" x 6" x .250				X
6273	3" x 11" x .250				X
6290	3" x 6" x .187				X
6291	3" x 8" x .187				X
6292	3" x 12" x .187				X
6293	3" x 14" x .187				X
6294	3" x 27" x .187				X

Guillotine Blades®

Part #	Dimensions (W x L x Thickness)	6280	Rogue	Ride-On
6285-GT	3.75" x 6" x .094"	X	X	X
6284-GT	3.75" x 12" x .094"	X	X	X
6290-GT	3.75" x 6" x .187"			X
6292-GT	3.75" x 12" x .187"			X

1-Inch Blades

Designed for VCT and adhesive re-scrape. They also work well for parking deck coatings, epoxy, and elastomeric coatings.

Part #	Dimensions (W x L x Thickness)	Rogue	Ride-On
7091	1" x 4" x .094"	X	X
7092	1" x 8" x .094"	X	X
7093	1" x 10" x .094"	X	X
7094	1" x 12" x .094"	X	X

This blade requires a razor blade cutting head.

Razor/Scrapper Blades

Designed for superhard thin epoxies, thin mil coatings (like urethane paint), poured elastomeric coatings up to 60 mil, and hard-to-remove adhesives.

Part #	Dimensions (W x L x Thickness)	550	6280	Rogue	Ride-On
363-2	.750" x 8" x .032"	X	X	X	X
368-8	.937" x 8" x .045"	X	X	X	X
368-12	.937" x 12" x .045"		X	X	X
368-15	.937" x 15" x .045"		X	X	X

Sold in packs of 50.

This blade requires a razor blade cutting head.

Self-Scoring Blades

These angled self-scoring blades work on attached cushion, vinyl back, soft to medium PVC, linoleum, carpet tiles, soft cork, and more.

Part #	Description (W x L x Thickness)	550	6280	6280HD	Rogue	Ride-On
Bevel Up, 90 degree (for concrete subfloor)						
6247-BU	Blade, Self-scoring 90 degree 4" x 10" x .094", BU			X	X	X
6248-BU	Blade, Self-scoring, 90 degree, 4" x 24" x .094", BU					X
6249-BU	Blade, Self-scoring, 90 degree, 4" x 12" x .094", BU		X	X		X
6255-BU	Blade, Self-scoring, 90 degree, 4" x 6" x .062", BU		X	X	X	
6257-BU	Blade, Self-scoring, 90 degree, 3" x 9" x .062", BU	X		X	X	
6258-BU	Blade, Self-scoring, 90 degree, 3" x 12" x .062", BU		X	X	X	
6259-BU	Blade, Self-scoring, 90 degree, 3" x 14" x .062", BU		X	X	X	
Bevel Up, 45 Degree Angle (for concrete subfloor)						
6276-BU	Blade, Self-scoring 45 degree 3" x 10" x .094", BU	X		X	X	X
6277-BU	Blade, Self-scoring 45 degree 3" x 12" x .094", BU		X	X	X	X
6278-BU	Blade, Self-scoring 45 degree 3" x 14" x .094", BU		X	X	X	X
6279-BU	Blade, Self-scoring 45 degree 3" x 27" x .094", BU					X
Bevel Down, 90 degree (for wood subfloor)						
6260-BD	Blade, Self-scoring, 90 degree, 3" x 6" x .094", BD			X	X	X
6265-BD	Blade, Self-scoring, 90 degree, 3" x 8" x .094", BD			X	X	X
6266-BD	Blade, Self-scoring, 90 degree, 3" x 10" x .094", BD			X	X	X
4" Tall Wings						
6256-BU*	Blade, Self-scoring, 90 degree, 4" x 6" x .062" x 4"h, BU		X	X	X	
6261-BU*	Blade, Self-scoring 90 degree, 3" x 12" x .062" x 4"h, BU		X	X	X	
6262-BU**	Blade, Self-scoring 90 degree, 4" x 6" x .094" x 4"h, BU		X	X	X	X
6264-BU**	Blade, Self-scoring 90 degree, 3" x 12" x .094" x 4"h, BU		X	X	X	X

FLOOR GRINDING & POLISHING

Our market-leading range of grinding and polishing machines offer a choice of equipment for preparing and maintaining concrete floors of all types and sizes.

We understand that when it comes to grinding and polishing concrete floors no two jobs are the same. That's why flexibility is built into our tailored rental agreements from day one.

Our range includes the latest generation of remote-control equipment, taking the strain off operators and reducing the risk of vibration-related health conditions.

SCAN TO
VIEW THE
FULL RANGE



FLOOR GRINDERS & POLISHERS

450mm Grinder

Designed for small jobs and tough-to-reach spaces, this 16-inch planetary grinder creates the perfect profile for new coatings. This easy-to-operate machine features an edge grinder, dual-speed operation, an adjustable handle, and a floating dust skirt for maximum efficiency.

Model: NFE Helix
Power Source: Corded
Grinding Width: 450mm
No. Grinding Discs: 3
Operation: Manual
Vibration: 0.620m/s²

Output Power: 1.12kW
 Grinding Disc Diameter: 125mm
 Dimensions (L x W x H): 120cm x 45cm x 121cm
 Weight: 93kg
 Power Requirement: 110v



600mm Remote-Control Grinder Polisher

Powered by Duratiq technology, this planetary grinder has four grinding discs. With remote-control operation and an intuitive digital control panel to deliver continuous feedback and control during the grinding process. Balanced chassis, ergonomic design, and advanced safety features provide an enhanced operator experience.

Model: Husqvarna HTC RX6
Power Source: Corded
Grinding Width: 600mm
No. Grinding Discs: 4
Operation: Remote-controlled
Vibration: <2.5m/s²

Output Power: 7.5kW
 Rotation Direction: Both
 Grinding Disc Diameter: 230mm
 Dimensions (L x W x H): 1,385mm x 657mm x 1,054mm
 Weight: 441kg
 Power Requirement: 380 – 415v



500mm Grinder Polisher

Ultra-compact and versatile planetary grinder with Duratiq technology and three grinding discs. The intuitive digital control panel and dustproof design provides enhanced operator control and precision.

Model: Husqvarna HTC T5
Power Source: Corded
Grinding Width: 515mm
No. Grinding Discs: 3
Operation: Manual
Vibration: <2.5m/s²

Output Power: 4kW
 Rotation Direction: Both
 Grinding Disc Diameter: 230mm
 Dimensions (L x W x H): 1,000mm x 569mm x 720mm
 Weight: 179kg
 Power Requirement: 380 – 415v



800mm Remote-Control Grinder Polisher

A premier floor grinder with Duratiq technology, offering operational reliability, precision, and power. Featuring four discs, remote-control operation, and intuitive digital control panel for continuous feedback. Its dustproof design, balanced chassis, and safety features ensure superior performance for operators.

Model: Husqvarna HTC RX8
Power Source: Corded
Grinding Width: 800mm
No. Grinding Discs: 4
Operation: Remote-controlled
Vibration: <2.5m/s²

Output Power: 15kW
 Rotation Direction: Both
 Grinding Disc Diameter: 270mm
 Dimensions (L x W x H): 1,533mm x 867mm x 1,067mm
 Weight: 574kg
 Power Requirement: 380 – 415v



DUST AND SLURRY EQUIPMENT

Dust Extractors

Powerful industrial dust extractors engineered to complement floor grinding machines, these units efficiently tackle dust extraction challenges.

Featuring a robust turbine motor for high airflow and dual H13 HEPA filters, they effortlessly manage grinding by-products, ensuring a clean and safe workspace.



H CLASS CERTIFIED

	NFE DL2000	Husqvarna T 4000	Husqvarna T 7500
Power Requirement	110v / 16A	415v / 16A	415v / 32A
Maximum Vacuum	400m ³ /hr	260mbar	280mbar
No. HEPA Filters	2	2	2
Dust Extraction Class	H Class	H Class	H Class
Primary Filtration Area	3m ²	3.6m ²	5.65m ²
Rated Input Power	1.1kW	4kW	5.5kW
Dimensions (L x W x H)	56cm x 50cm x 120cm	830mm x 620mm x 1,500mm	1,245mm x 686mm x 1,753mm
Weight	37kg	106kg	206kg

Pre-Separators

Industrial pre-separators tailored for high-volume dust production. Ideal for substantial tasks these units, when paired with dust extractors, efficiently capture up to 90% of debris before it reaches the extractor, amplifying suction power, prolonging motor life, and reducing filter maintenance. Enhance your extractor's capability to manage challenging materials like soot and bulk light debris.



	Husqvarna C 3000	Husqvarna C 5500
Power Source	Manual	Manual
Container Capacity	37litres	100litres
Dimensions (L x W x H)	590mm x 730mm x 1,580mm	600mm x 720mm x 1,640mm
Weight	27kg	67kg

FLOOR GRINDING & POLISHING TOOLING

Application	CONCRETE GRINDING - METAL TOOLS				CONCRETE HONING/ POLISHING - RESIN TOOLS
	ELITE-SERIES			VARI-SERIES	ELITE-SERIES
	REMOVING THIN COATINGS	MEDIUM CONCRETE	HARD CONCRETE	REMOVING THICK COATINGS	POLISHING PUCKS
Level	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	VARI-GRIND	ELITE-POLISH
Tool Name	EZ T-REX® 0	EZ M	EZ H	EZ T-REX® CLASSIC	EP D
GRIT PCD					
GRIT #16					
GRIT #25					
GRIT #30					
GRIT #50					
GRIT #100					
GRIT #200					
GRIT #400					
GRIT #800					
GRIT #1500					
GRIT #3000					
Attachment	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing

💧 WET * DRY

*Tooling listed above is for use with Husqvarna products. For all other tooling please speak to the Flooring Solutions team.





FLOOR CLEANING

Our white glove service and tailored rental agreements make it easy to access the most efficient floor cleaning and carpet care equipment.

Cleaning and maintaining heavily trafficked floors can be time-consuming and labour-intensive. But it doesn't have to be. We offer sweeping and scrubbing solutions for all kinds of environments from commercial and industrial facilities to retail spaces and car parks. Including a powerful range of walk-behind and ride-on machines that allow everywhere from hard-to-reach spots to large areas to be cleaned quickly and easily.

Telematics-enabled machines provide real time equipment health and usage reports, maximising uptime and optimising utilisation. Plus, autonomous equipment frees up resources for other tasks.

**SCAN TO
VIEW THE
FULL RANGE**



WALK-BEHIND FLOOR SCRUBBER-DRYERS

i-mop® XL

The i-mop® XL Plus makes it possible to clean any floor surface with freedom of movement and greater ease of use. No borders or boundaries.

Model: Tennant i-mop® XL
Cleaning Path: 460mm
Power Source: Battery
Travel Mode: Walk-behind
Pad RPM: Up to 350rpm

Dimensions (L x W x H):
 350mm x 480mm x 1,200mm
Weight: 18.5kg
Head Type: Disk
Run Time: Up to 70min



Walk-Behind Scrubber Dryer 380mm

Compact cord-free scrubber dryer for hard-to-reach spots. Manoeuvrable design with a powerful lithium battery for frequent touch-ups in high-traffic areas, offering ease and efficiency.

Model: Tennant T1B
Power Source: Battery
Cleaning Path: 380mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,150mm x 500mm x 860mm
Weight: 50kg
On-board Charger: No
Charging Requirement: 240v
Head Type: Cylindrical



Walk-Behind Scrubber Dryer 500mm

Versatile battery-powered scrubber dryer for use on virtually all hard floors. The innovative Zone Settings™ allow for targeted cleaning while its squeegee system ensures top-notch performance and reliable results every time.

Model: Tennant T300
Power Source: Battery
Cleaning Path: 500mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,373mm x 559mm x 1,095mm
Weight: 177kg
On-board Charger: Yes
Charging Requirement: 240v
Head Type: Single disk



Walk-Behind Scrubber Dryer 650mm

Cut costs and boost productivity with this scrubber dryer. Providing consistent results with enhanced features like orbital scrubbing, water level monitors, foot-activated squeegee, and improved ergonomics to streamline operations.

Model: Tennant T500 Disk
Power Source: Battery
Cleaning Path: 650mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,314mm x 660mm x 1,100mm
Weight: 277kg
On-board Charger: Yes
Charging Requirement: 240v
Head Type: Disk



Walk-Behind Cylindrical Scrubber Dryer 700mm

Enhance efficiency and increase productivity with this scrubber dryer. Its optimal cleaning performance delivers consistent results.

Model: Tennant T500
Cylindrical
Power Source: Battery
Cleaning Path: 700mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,501mm x 780mm x 1,100mm
Weight: 299kg
On-board Charger: Yes
Charging Requirement: 240v
Head Type: Cylindrical



Walk-Behind Scrubber Dryer 700mm

Achieve exceptional cleaning results in challenging environments with industrial-grade durability. Corrosion-resistant scrub deck and rust-proof construction make it perfect for heavy-duty tasks. Boost productivity with user-friendly controls for more efficient cleaning operations.

Model: Tennant T600e
Power Source: Battery
Cleaning Path: 700mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,617mm x 764mm x 1,107mm
Weight: 487kg
On-board Charger: Yes
Charging Requirement: 240v
Head Type: Dual Disk



RIDE-ON SCRUBBER-DRYERS

Ride-On Floor Scrubber-Dryer 800mm

Clean large and tight spaces with ease with this ride-on scrubber. The quiet operation makes it ideal for sound-sensitive environments, whilst the risk of slip-and-fall injuries are reduced with the enhanced drying capabilities.

Model: Tennant T7
Power Source: Battery
Cleaning Path: 800mm
Travel Method: Ride-on

Dimensions (L x W x H):
1,520mm x 1,000mm x 1,270mm
Weight: 471kg
On-board Charger: No
Charging Requirement: 240v
Head Type: Disk



Ride-On Floor Scrubber-Dryer 1370mm

A robust ride-on floor scrubber with MaxPro™ hydraulic technology. Ideal for industrial applications with enhanced safety features including a cab-forward design for visibility. Steering wheel controls provide optimal operation.

Model: Tennant T20
Power Source: LPG
Cleaning Path: 1,370mm
Travel Method: Ride-on

Dimensions (L x W x H):
2,410mm x 1,300mm x 1,473mm
Weight: 1,497kg
Head Type: Cylindrical
On-board Charger: No
Charging Requirements: 240v



Ride-On Floor Scrubber-Dryer 1090mm

Designed for extreme durability with overhead and rear squeegee guard and heavy-duty bumpers. Easy-to-use operator controls and low noise output means you can clean anywhere at any time. The 189 litre tank provides the longevity to clean large spaces.

Model: Tennant T16
Power Source: Battery
Cleaning Path: 1,090mm
Travel Method: Ride-on

Dimensions (L x W x H):
1,880mm x 1,070mm x 1,475mm
Weight: 860kg
On-board Charger: No
Charging Requirement: 240v
Head Type: Disk



Ride-On Sweeper-Scrubber 1700mm

Innovative ride-on sweeper-scrubber delivering high-performance cleaning in a single pass. Customisable sweeping systems handle varying debris sizes. Features rear-view camera, intuitive touchscreen, and Touch-n-Go™ control panel for effortless operation and quick learning.

Model: Tennant M17
Power Source: Battery
Cleaning Path: 1,700mm
Travel Method: Ride-on

Dimensions (L x W x H):
2,850mm x 1,370mm x 1,480mm
Weight: 2,475kg
On-board Charger: No
Charging Requirement: 415v
(32AMP) (3 phase supply)
Head Type: Disk



ROBOTIC FLOOR CLEANERS

Robotic R3 Vac

Using cutting-edge technology this autonomous robot cleans with ease and combines microfibre and brush rollers to cater to all surfaces. Medical-grade air filtration, office friendly noise levels and low power consumption make it suitable for sensitive environments.

Model: LionsBot R3 Vac
Power Source: Battery
Running Time: 3 hours
Cleaning Width: 550mm

Dimensions (L x W x H):
521mm x 482mm x 655mm
Weight: 53kg
Cleaning Speed: 0.6-1m/s
Charging Time: 2 hours
Auto-Dock: Yes
Noise Levels: 61.7dB



Robotic R3 Scrub Pro

The R3 Scrub Pro eliminates pre-sweeping with its cylindrical brushes and two side brushes delivering 0cm edge cleaning results. With 7kg of downward pressure and a range of brush options it delivers professional-grade cleaning results in the tightest spaces.

Model: LionsBot R3 Scrub Pro
Power Source: Battery
Running Time: 2-3 hours
Cleaning Width: 682mm

Dimensions (L x W x H):
635mm x 570mm x 828mm
Weight: 61kg
Cleaning Speed: 0.6-1m/s
Charging Time: 2 hours
Auto-Dock: Yes
Noise Levels: 71dB



Ride-On & Robotic Floor Scrubber-Dryer 500mm

Maximise productivity, maintain cleanliness, and efficiently clean tight spaces with the T380AMR, a compact robotic floor cleaner. Powered by BrainOS® to ensure safe autonomous cleaning around obstacles.

Model: Tennant T380AMR
Power Source: Battery
Cleaning Path: 500mm
Travel Method: Ride-on/
Robotic

Dimensions (L x W x H):
1,575mm x 635mm x 1,397mm
Weight: 385kg
On-board Charger: No
Charging Requirement: 240v
Head Type: Disk



Ride-On & Robotic Floor Scrubber-Dryer 650mm

Choose between ride-on or robotic operation. Powered by BrainOS® advanced vision-based AI, this floor scrubber has been designed to work safely alongside employees, avoiding obstacles in complex and busy real-world environments, whilst delivering superior cleaning performance.

Model: Tennant T7AMR
Power Source: Battery
Cleaning Path: 650mm
Travel Method: Ride-on/
Robotic

Dimensions (L x W x H):
1,520mm x 1,000mm x 1,270mm
Weight: 492kg
On-board Charger: No
Charging Requirement: 240v
Head Type: Disk



FLOOR SWEEPERS

Walk-Behind Floor Sweeper 860mm

Tackle tough industrial cleaning tasks with this heavy-duty walk-behind sweeper. Its large hopper extends cleaning time, capturing particles as small as 3 microns, safeguarding both facilities and employees from harmful dust.

Model: Tennant S10
Power Source: Battery
Cleaning Path: 860mm
Travel Method: Walk-behind

Dimensions (L x W x H):
 1,600mm x 920mm x 1,070mm
Weight: 272kg
On-board Charger: Yes
Charging Requirement: 240v
Head Type: Cylindrical



Ride-On Floor Sweeper 1270mm

Achieve indoor and outdoor sweeping in a compact, manoeuvrable design. SweepMax™ removes excess dust to provide a safer environment. Forward-control levers, reduced maintenance, and deluxe seating enhance the operator experience and deliver optimal comfort.

Model: Tennant S20
Power Source: LPG
Cleaning Path: 1,270mm
Travel Method: Ride-on

Dimensions (L x W x H):
 2,090mm x 1,230mm x 2,085mm
Weight: 1,110kg



Ride-On Floor Sweeper 760mm

Get exceptional performance with efficient one-pass sweeping and multi-stage filtration system, this sub-compact sweeper quietly and effectively cleans a variety of floor surfaces. Easily manoeuvre through tight spaces for increased accessibility and maintain air quality with fume-free battery operation.

Model: Tennant 6100
Power Source: Battery
Cleaning Path: 760mm
Travel Method: Ride-on

Dimensions (L x W):
 1,520mm x 810mm x 1,180mm
Weight: 503kg
On-board Charger: Yes
Charging Requirement: 240v
Noise Levels: 71dB



Ride-On HEPA Floor Sweeper 1270mm

Capture 99.95% of fine dust particles with the integrated HEPA 13 filter and side brush built into this ride-on sweeper, removing debris whilst creating a safer and more compliant environment.

Model: Tennant S20 HEPA
Power Source: LPG
Cleaning Path: 1,270mm
Travel Method: Ride-on

Dimensions (L x W):
 2,090mm x 1,330mm x 2,085mm
Weight: 1,110kg



Ride-On Floor Sweeper 1170mm

Compact yet powerful battery-operated ride-on sweeper delivering high productivity and adaptability. MaxPro™ sweeping technology ensures consistent power, handling diverse surfaces and debris. Its multi-stage filtration and fume-free operation help to maintain excellent indoor air quality.

Model: Tennant S16
Power Source: Battery
Cleaning Path: 1,170mm
Travel Method: Ride-on

Dimensions (L x W x H):
 1,815mm x 1,165mm x 1,500mm
Weight: 975kg
On-board Charger: No
Charging Requirement: 240v



Ride-On Floor Sweeper 1590mm

Boost productivity with this versatile mid-sized sweeper for various indoor and outdoor applications. Featuring dry dust control, a 3-stage SweepSmart™ system, Ergospace™ compartment design for operator comfort, II Speed™ sweeping technology, and low 80 dBA noise level.

Model: Tennant S30
Power Source: LPG
Cleaning Path: 1,590mm
Travel Method: Ride-on

Dimensions (L x W x H):
 2,362mm x 1,587mm x 1,475mm
Weight: 1,595kg



FLOOR CLEANING CONSUMABLES

Floor Pads

We stock a range of floor pads suitable for cleaning all smooth floor surfaces. Ranging from 12 – 20 inches. Select red pads for light cleaning or opt for green pads for deep cleaning.



Red: IPAD9R



Green: IPAD9G



Red: F12R, F13R, F14R, F16R, F18R & F20R




Green: F12G, F13G, F14G, F16G, F18G & F20G

Product Code	Description	Scrubber-Dryer Compatibility
Red: IPAD9R Green: IPAD9G	i-mop XL pads (box of 10)	i-mop XL
Red: F12R Green: F12G	12" floor pads (box of 5)	Tennant T500 (Disk)
Red: F13R Green: F13G	13" floor pads (box of 5)	Tennant T7AMR
Red: F14R Green: F14G	14" floor pads (box of 5)	Tennant T600 (Disk)
Red: F16R Green: F16G	16" floor pads (box of 5)	Tennant T7
Red: F18R Green: F18G	18" floor pads (box of 5)	Tennant T16
Red: F20R Green: F20G	20" floor pads (box of 5)	Tennant T300 and Tennant T380AMR

For our complete range of consumables please contact the Flooring Solutions team.

Flex Scrub Pads

Flex Scrub pads combine the performance of a pad with the longevity of a brush and last up to 50 times longer than a pad. They are suitable for use on smooth and textured floors and can also be used to clean grout. We stock a range of Flex Scrub pads from 13 – 20 inches.



Red: 583413, 583414, 583416, 583418 & 583420



Green: 583013, 583014, 583016, 583018 & 583420

Product Code	Description	Scrubber-Dryer Compatibility
Red: 583413 Green: 583013	13" Flex Scrub pad	Tennant T380AMR (x2)
Red: 583414 Green: 583014	14" Flex Scrub pad	Tennant T600D (x2)
Red: 583416 Green: 583016	16" Flex Scrub pad	Tennant T7 (x2)
Red: 583418 Green: 583018	18" Flex Scrub pad	Tennant T16 (x2)
Red: 583420 Green: 583420	20" Flex Scrub pad	Tennant T300 (x2) and T380AMR (x2)



FLEX SCRUB - Combines the performance of a pad with the longevity of a brush. Lasts up to 50 times longer than a pad. Available in sizes between 13 to 20inch.

INDUSTRIAL CLEANING EQUIPMENT

We can provide an efficient, reliable cleaning and maintenance solution for any application no matter how big or small.

Our range includes powerful high-performance pressure washers, professional-grade steam cleaners and escalator cleaners.



36

INDUSTRIAL CLEANING EQUIPMENT

Steam Cleaner

This professional steam cleaner ensures traceless removal of tough dirt. Reaching 180°C and 8-bar pressure, it guarantees deep, safe cleaning on all surfaces. Stainless steel trolley and boiler ensures durability, while combining steam and detergent amplifies power, versatility, and longevity.

Model: IPC SG-48 Steam
Generator
Steam Temperature: 185°C
Operating Pressure: 8/0.8bar
Tank Capacity: 5l

Dimensions (L x W x H):
7,450mm x 480mm x 1,040mm
Weight: 32kg
Boiler Power: 3.4kw
Vacuum Power: 1.4kW
Start-up Time: 6mins



Escalator Cleaner

This mains powered wet and dry escalator cleaner is designed for everyday use in a range of commercial environments including large retail stores, supermarkets, shopping centres, airports and train stations. Combining spray extraction and agitation to clean, scrub, and dry at the same time with a unique swivel head that cleans the entire conveyor edge to edge.

Model: Tennant X51
Cleaning Path: 510mm
Brush Pressure: 30kg
Brush Speed: 400rpm

Dimensions (L x W x H):
1,215mm x 580mm x 960mm
Weight: 96kg
Cable Length: 20m
Noise Levels: 75dB(A)



37

INDUSTRIAL CLEANING EQUIPMENT

IPC H28/4 Pressure Washer

Built for rugged daily use, this high pressure washer comes equipped with features to improve ease of operation, including leakage control and working hour counter. The all-terrain wheels allow you to transport and use it in hard-to-reach areas with unstable surfaces.

Model: IPC H28/4
Flow Rate: 240-500l/h
Power Requirement: 240v/16A
Outlet Water Temperature: 30-110 °C

Dimensions (L x W x H): 820mm x 630mm x 870mm
Weight: 75kg
Boiler Thermal Power: 37.8kW
Fuel Consumption: 3.2kg/hr
Fuel Tank: 18l
Operating Pressure: 40-130/4-13 bar



Tornado E Pressure Washer

This zero emissions portable pressure washer is powered by lithium-ion batteries to provide 15 minutes of washing time away from a water source, and a maximum 2 hours of constant use.

Model: Tornado E
Flow Rate: 11l/m
Power Requirement: Battery (2 x 100amp)
Outlet Water Temperature: Cold Wash Only

Dimensions (L x W x H): 1,170mm x 660mm x 870mm
Weight: 136kg
Bowser Tank Capacity: 150l
Charging Time: 10hours
Charging Requirement: 26A
Operating Pressure: 100bar / 1,500psi



E5 Carpet Extractor

Deep clean carpets with this carpet extractor's dual spray jets and powerful suction. Increased operator comfort with Insta-Adjust™ handle, low 69dB(A) noise, and Hygenic® cleanable tank, ideal for busy environments ensuring minimal disruption.

Model: Tennant E5
Power Source: Electric
Cleaning Path: 380mm
Travel Method: Walk-behind

Dimensions (L x W x H): 680mm x 490mm x 709mm
Weight: 46kg
Power Requirement: 15m power cord
Head Type: N/A



HIGH LEVEL CLEANING SYSTEMS

SpaceVac 38mm Internal System

This high reach vacuum is ideal for commercial cleaning and maintenance, providing unrivalled flexibility and performance. It allows operators to clean up to 12m high from the ground floor without the use of ladders, cherry pickers or scaffolding.

SpaceVac 50mm External System

This heavy-duty gutter cleaning tool is designed to help operators clean external fascia's, blocked guttering and downpipes up to 16m high from the ground floor. The 50mm diameter poles provide increased airflow and suction at height.

SpaceVac 38mm ATEX Internal System

The patent pending ATEX PRO system has been developed specifically for cleaning industrial factory areas designated as Explosive Atmospheres. The 38mm diameter poles are made from 100% carbon to guarantee non-spark anti-static operation.

Features & Benefits:

- Lightweight and durable poles constructed out of carbon fibre
- Range of heads and tools to suit your application
- Safety locking mechanism across the range to protect operators



RENTAL EQUIPMENT AND MANAGED SOLUTIONS



For more information about Sunbelt Rentals view online here: www.sunbeltrentals.co.uk

Sunbelt Rentals - Providing rental and managed solutions into every market sector.



Flooring Solutions

Floor care and maintenance equipment to prepare, clean and maintain any floor, any size, anywhere



Industrial

On your site to meet the demands where every second counts



Climate Control

Economical and efficient temperature control and HVAC solutions



Rail

We support the Network Rail and Transport for London infrastructure



Plant Attachments

The sole UK distributor for several of the world's leading attachment manufacturers



Utilities

The UK's largest specialist Utility hire company



Accommodation

24/7/365 call out facility covering 20,000 items on fleet



Hoists

We hold over 10km of mast sections, enough to scale London's Shard building over 32 times



Powered Access

The combined height and reach of our equipment can transport you safely over 50,000 metres



Safety & Communications

Knowledgeable and experienced specialists in this field



Trakway

Award winning engineered access and ground protection solutions



Formwork & Falsework

We are the exclusive hire supplier of MEVA products in the UK



Lifting

Our solutions have been used on 7/10 of the tallest buildings in the UK



Survey

Industry-leading supplier of land survey and precision measurement technologies



Traffic Management

24/7 national coverage with operations covered by QEHSS accreditations



Training

Dedicated Health and Safety training to qualify our own people and our customer's people



Energy

From fuel saving cleaner energy solutions to the latest stage v generators, we have a temporary power solution for every site



Test & Monitoring

Europe's leading test equipment specialists since 1996



Barriers & Fencing

Crowd control and perimeter security solutions



Lighting

Our state-of-the-art tower lights will keep your worksites safe and secure



Tools

From battery powered hand tools to compressors, compactors and cleaning equipment we offer a wide range of tool hire that's local to you



Non-Mech

Essentials for every site; fencing, barriers, trenching, ground protection, vehicle and pedestrian control solutions



Film & TV

From cameras, grip and lighting to backlot infrastructure



Plant

The widest range of plant including the latest stage v and battery powered machines in the UK

PURPOSE DRIVEN. INNOVATING CHANGE. PROTECTING OUR PLANET.

Our Planet is our action plan.

It's inspired by one clear purpose: equipping people to transform places, space and lives. Together we'll help deliver success for our customers, engaged colleagues, thriving communities, greater social impact and a greener climate.

With sustainability, innovation and business governance at the heart of our plan, we are committed to driving emissions down, helping you achieve your sustainability goals today and developing tomorrow's essential skills and jobs.

SCAN ME TO FIND OUT MORE ABOUT
OUR PLAN FOR A GREENER FUTURE



our planet

GET IN TOUCH

Our dedicated Flooring Solutions team would love to hear from you.

0300 3735 792

flooringsolutions@sunbeltrentals.co.uk

www.sunbeltrentals.co.uk

BATHGATE

Unit 1
Armadale Industrial Estate
Armadale
EH48 2 ND

KETTERING

Lake View Business Park,
Top Close,
Thrapston
NN14 4PP


HEATHROW

242 - 252 London Road,
Staines,
Heathrow
TW18 4JQ


MANSFIELD

Orchard Way,
Sutton-In-Ashfield,
NG17 1JU

NATIONWIDE COVERAGE



Flooring Solutions
Depots



0300 373 5792

www.sunbeltrentals.co.uk